

Efficient flood monitoring and river level management are essential to mitigate the devastating consequences of floods on human lives, property, and ecosystems.

CHALLENGE

Floods cause significant damage to lives, property, and infrastructure, making it critical to develop efficient flood monitoring systems for rivers. A major challenge is obtaining accurate, near real-time data on water levels to enable effective flood management and early warning systems. Traditional monitoring methods often have limitations such as high maintenance costs, poor coverage, and slow response times.

SOLUTION

To address this challenge, a battery-operated 10Sorex Ultrasonic Distance/Level Sensor can be deployed for flood monitoring on rivers.

This IoT sensor, combined with Narrowband IoT (NB-IoT) technology, provides the following benefits:

- Accurate water level measurements: Ultrasonic sensors offer high precision in measuring water levels, enabling accurate flood predictions and timely responses.
- Near real-time data: 10Sorex sensors transmit data every few hours, allowing for near real-time monitoring and improved decision-making.



Flood Monitoring on Rivers

- Low power consumption: Battery-operated sensors ensure long-lasting operation and reduced maintenance costs.
- Wide area coverage: NB-IoT provides reliable connectivity in remote and hard-to-reach locations.
- Ruggedized design: IP65 rated sensors withstand harsh environmental conditions, ensuring reliable operation during floods.
- Scalable and flexible: The IoT-based solution can be easily scaled to cover larger areas and adapted to suit different monitoring requirements.

By implementing this solution, authorities can effectively monitor river levels, initiate timely response measures, and minimize the impact of floods on communities and the environment.













Battery Operated Ruggedized Design

Easy Install

Pre-Configured

Secure

Quick ROI

TECHNOLOGY

10Sorex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate, specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 are advanced communication technologies that offer significant advantages for monitoring applications. These technologies provide efficient and reliable connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer



excellent penetration capabilities, allowing for reliable communication even in challenging environments, such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.



Flood Monitoring on Rivers

SENSOR	TECHNICAL	SPECIFICATION
OLIVOUN	ILUINIUAL	OF LOIL ICATION

Range (m)	10
 Accuracy (mm) (combined linearity, hysteresis, repeatability) 	±5
 Resolution 	Sub mm
 Sensor Minimum Distance (cm) 	0 ~ 20
 Process Pressure (bar) 	-1 to 3
Frequency (GHz)	80
Beam angle (°)	8
Compensated Temperature °C	-20 ~ +60
Power	
Power Supply	Built-in Replaceable Lithium Battery, External Power option
 Rated Voltage (V) 	3.6
Battery Lifetime	5,000+ readings and 5,000+ transmission (With UDP protocol/ More than 10 years for most applications)
Physical Specification	
Materials	Enclosure: POM, Sensor Head: PVDF, PA6 and Fiberglass
Weight (g)	~700
 Protection Rate (-) 	IP68, UV protected
Communication	
 SIM Card Type 	4FF Nano-SIM, from any Network Provider
Firmware Update	Over The Air, Locally via Wireless Connectivity
Sampling Period	Configurable via downlink (default 4 hours)
Power Consumption	Power Saving: < 5uA, Transmission: < 220mA
 Communication Standards 	Cat-NB1 (NB-IoT),
	Cat-M1, (option of back support by GPRS)
 Communication Bands 	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and
Data Datas	B39 Cat-M1: 375Kbps (DL)/375Kbps (UL)
Data Rates	NB-IoT: 32Kbps (DL)/70Kbps (UL)
TX Power	23dBm
Min Receiver Sensitivity	Cat-M1: -107dBm
	NB-IoT: -113dBm
Antenna	Internal (Default)/ External (optional)
	(customized options available)



Flood Monitoring on Rivers

PLATFORM FEATURES

10Sorex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. 10Sorex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, 10Sorex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.

- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- · White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customization available on request







Flood Monitoring on Rivers
















Flood Monitoring on Rivers

INDUSTRIES SERVED



Environmental Monitoring



City & Councils

INTEGRATION OPTIONS

10Sorex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, 10Sorex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes 10Sorex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.



Flood Monitoring on Rivers

ORDERING PROCESS

10Sorex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal (www.10sorex.com) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.



Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice © All Rights Reserved for 10Sorex

Rev2025_00

