

Remote Engine Oil Tank Level Monitoring

Effective remote engine oil tank level monitoring is vital to ensure optimal engine performance, prevent costly repairs, and reduce operational downtime.

CHALLENGE

Remote engine oil tank level monitoring poses a challenge in industries like oil and gas, manufacturing, and transportation where precise and timely monitoring of oil levels is crucial to prevent engine damage, maintain optimal performance, and avoid costly downtimes. Traditional methods can be labor-intensive, inefficient, and prone to errors, making it essential to find a reliable and cost-effective solution.

SOLUTION

10Sorex's battery-operated Submersible Level Sensors, specifically designed for harsh industrial applications, offer a reliable and efficient solution for remote engine oil tank level monitoring. The sensors leverage NB-IoT technology to transmit near real-time data every few hours, providing accurate and up-to-date information on oil levels.


Benefits of using this approach include:

- Improved accuracy: Submersible Level Sensors provide precise level measurements, reducing the risk of errors and increasing overall efficiency.
- Enhanced operational efficiency: Near real-time data transmission enables timely decision-making, ensuring optimal engine performance.

Remote Engine Oil Tank Level Monitoring

- Cost savings: Remote monitoring reduces the need for manual inspections, saving labor costs and reducing the risk of accidents.
- Extended battery life: 10Sorex's battery-operated sensors offer a long-lasting solution, minimizing the need for frequent replacements.
- Rugged and durable: Built to withstand harsh environments, these IP65-rated sensors are designed for reliable performance in demanding industrial applications.

By implementing 10Sorex's Submersible Level Sensors in remote engine oil tank level monitoring systems, industries can enhance efficiency, reduce costs, and maintain optimal engine performance.



Battery Operated



Ruggedized Design




Easy Install



Pre-Configured




Secure



Quick ROI

TECHNOLOGY

10Sorex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate, specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 are advanced communication technologies that offer significant advantages for monitoring applications. These technologies provide efficient and reliable connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer excellent penetration capabilities, allowing for reliable communication even in challenging environments, such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.



Remote Engine Oil Tank Level Monitoring

SENSOR TECHNICAL SPECIFICATIONS

• Range (m)	3m (or other ranges)
• Accuracy (combined linearity, hysteresis, repeatability) (%Span)	±0.25 (typ.)
• Resolution (%Span)	±0.01
• Temperature Coefficient of Zero (%FS/°C)	≤±0.03
• Temperature Coefficient of Span (%FS/°C)	≤±0.03
• Long Term Stability (1 year) (%Span)	≤ 0.2
• Overload Protection (%FS)	150
• Load Cycles (Zero to Full Scale) (Million)	10+
• Storage / Operation Temperature (°C)	-20 ~ +85
• Compensated Temperature (°C)	0 ~ +60
• Power Supply	Built-in Replaceable Lithium Battery
• Rated Voltage (V)	3.6
• Battery Lifetime	10,000+ transmissions
• Sensor Materials	O-ring: Viton, Body: SS316L, Diaphragm: SS316L, Oil: Silicon, Enclosure: POM
• Weight (g)	~1200 (for 5m range)
• Protection Rate	IP66, UV Protected enclosure and IP68 sensor head
• SIM Card Type	4FF Nano-SIM, from any Network Provider
• Firmware Update	Over The Air, Locally via Wireless Connectivity
• Sampling Period	Configurable via downlink (default 4 hours)
• Communication Bands	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and B39
• Antenna	Internal (Default)/ External (customised options available)

Remote Engine Oil Tank Level Monitoring

PLATFORM FEATURES

10Sorex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. 10Sorex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, 10Sorex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.

- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customization available on request



Encrypted &
ultra-low power



Integratable




Dynamic alerting



Multi-tenant



Scalable



Composable &
API first



Low cost









Action management



Resource monitoring

LM-TA-EO-N

Remote Engine Oil Tank Level Monitoring



LM-TA-EO-N

Remote Engine Oil Tank Level Monitoring

INDUSTRIES SERVED



Mining &
Construction



Oil & Gas

INTEGRATION OPTIONS

10Sorex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, 10Sorex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes 10Sorex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.

LM-TA-EO-N



Remote Engine Oil Tank Level Monitoring

ORDERING PROCESS

10Sorex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal (www.10sorex.com) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.



Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice

© All Rights Reserved for 10Sorex

Rev2025_00



Integrated IoT Solutions

Email: sales@10sorex.com

Web: www.10sorex.com

