

Effective underground water pipeline pressure monitoring is essential for preventing water loss, saving resources, and ensuring the sustainability of our water supply.

CHALLENGE

The monitoring of underground water pipeline pressure is crucial to ensure the efficiency of water distribution systems and prevent leaks or pipeline bursts. However, traditional pressure monitoring methods can be time-consuming, expensive, and lack the ability to provide near real-time data for quick decision-making.

SOLUTION

The 10Sorex battery-operated Pressure Sensor leveraging NB-IoT technology offers a cutting-edge approach to underground water pipeline pressure monitoring. The IoT sensor used in this solution is the 10Sorex battery-operated pressure sensor, specifically designed for harsh industrial environments with an IP65 rating.

Benefits of using this approach include:

- Near real-time pressure data: 10Sorex sensors transmit data every few hours, allowing for timely detection of pressure changes and quick response to potential issues.
- Ruggedized design: Built to withstand harsh industrial applications, 10Sorex sensors are IP65
 rated, ensuring reliability and durability.



Underground Water Pipeline Pressure Monitoring

- Long-lasting battery life: The battery-operated design of the sensors allows for extended periods of operation without the need for frequent maintenance or replacement.
- Easy installation and scalability: The NB-IoT technology enables easy integration into existing water distribution systems and can be easily scaled up as needed.
- Improved efficiency: The advanced pressure monitoring capabilities provided by 10Sorex sensors help reduce water loss and optimize the performance of underground water pipelines.

By implementing 10Sorex's battery-operated NB-IoT pressure sensors, underground water pipeline pressure monitoring can be significantly improved, resulting in reduced water loss, more efficient water distribution, and better sustainability.













Battery Operated

Ruggedized Design

Easy Install

Pre-Configured

Secure

Quick ROI

TECHNOLOGY

10Sorex employs cutting-edge communication technology by utilizing the LTE Cat M1 protocol, which operates on 4G and 5G cellular networks, making it suitable for mobile and stationary monitoring applications. However, its remarkably low power consumption and superior penetration rate. specifically designed for industrial solutions, sets it apart. Narrowband Internet of Things (NB-IoT) and LTE Cat M1 advanced communication are technologies that offer significant advantages for monitoring applications. These technologies provide



efficient and reliable connectivity for IoT devices, allowing for seamless communication between our sensor and remote monitoring systems. NB-IoT and LTE Cat M1 are known for their low power consumption, enabling prolonged battery life for the devices, which is crucial for remote or hard-to-reach areas. Moreover, these technologies offer excellent penetration capabilities, allowing for reliable communication even in challenging environments, such as underground or remote locations where devices are often deployed. NB-IoT and LTE Cat M1 also provide secure and scalable connectivity, enabling robust and cost-effective solutions for monitoring applications in various industrial sectors, including agriculture, utilities, logistics, and more.



Underground Water Pipeline Pressure Monitoring

SENSOR TECHNICAL SPECIFICATIONS

•	Range (bar)	20
•	Accuracy	±0.25 (typ.)
	(combined linearity, hysteresis, repeatability) (%Span)	
•	Resolution (%Span)	±0.01
•	Temperature Coefficient of Zero (%FS/°C)	≤±0.02
•	Temperature Coefficient of Span (%FS/°C)	≤±0.02
•	Long Term Stability (1 year) (%Span)	≤ 0.2
•	Pressure Overload (%FS)	300 (range <1bar); 150 (higher range)
•	Pressure Cycles (Zero to Full Scale) (Million)	10+
•	Compensated Temperature (°C)	-10 ~ +70
•	Power Supply	Built-in Replaceable Lithium Battery
•	Rated Voltage (V)	3.6
•	Battery Lifetime	10,000+ transmissions
•	Materials	O-ring: Viton, Body: SS316L, Diaphragm: SS316L, Oil: Silicon
		Enclosure: POM
•	Weight (g)	550
•	Protection Rate	IP68, UV Protected
•	SIM Card Type	4FF Nano-SIM, from any Network Provider
•	Firmware Update	Over The Air, Locally via Wireless Connectivity
•	Sampling Period	Configurable via downlink (default 4 hours)
•	Communication Bands	B1/B2/B3/B4/B5/B8/B12/B13/B18/B19/B20/B26/B28 and B39
•	Antenna	Internal (Default)/ External
		(customised options available)



Underground Water Pipeline Pressure Monitoring

PLATFORM FEATURES

10Sorex's software platform is a comprehensive and user-friendly solution specifically designed for diesel delivery management. The platform offers a wide range of features tailored for diesel delivery operations, including real-time data visualization, customizable alerts and notifications, historical data analysis, and predictive analytics. It provides users with a holistic view of their diesel delivery assets, allowing them to make data-driven decisions for optimal fuel management. The platform is accessible via web browsers and mobile devices, providing convenient remote access to critical information anytime, anywhere. 10Sorex's software platform is designed with a user-centric approach, offering intuitive navigation and a user-friendly interface for easy setup and configuration. With its advanced features and ease of use, 10Sorex's software platform empowers users to effectively monitor and manage their diesel delivery operations in remote areas, ensuring efficient and sustainable fuel resource management.

- Encrypted ultra-low power communication protocol
- Advanced device inventory
- Integration APIs for enterprise systems
- Multi-tenant role-based access control
- Data export and import
- · White-label platform for enterprise runs on private account
- Variable alarm setting for high and low thresholds and multi-channel alerting
- Sampling and transmission interval configuration
- Transmission condition configuration
- Other configurations and customization available on request








Underground Water Pipeline Pressure Monitoring












Easy analytic insight into long-term data



Global visualization of device locations with address-level zoom





Underground Water Pipeline Pressure Monitoring

INDUSTRIES SERVED



City & Councils



Smart Building

INTEGRATION OPTIONS

10Sorex's solution sets itself apart with its pre-configured and plug-and-play design, eliminating the complexities of configuration, programming, and connection to the platform. This unique approach ensures that users can start monitoring their diesel tanks quickly and easily without any technical hassles. Additionally, 10Sorex offers seamless integratability at both the network and platform levels, allowing for easy integration with any network or visualization/analysis platform. This competitive advantage makes 10Sorex's solution highly adaptable and compatible with existing systems, providing users with flexibility and convenience in managing their diesel resources effectively.



Underground Water Pipeline Pressure Monitoring

ORDERING PROCESS

10Sorex offers simple and easy way to order the solution from any location on earth with narrow band cellular coverage. Please visit our sales portal (www.10sorex.com) or contact us to discuss your application. This is the first step to experience a reliable IoT solution at scale.



Purchase the solution online



Learn more about our Software Platform



View the Included Sensor Datasheet



Browse our other solutions

All details are subject to change without prior notice © All Rights Reserved for 10Sorex

Rev2025_00

